



California Sportfishing Protection Alliance

"An Advocate for Fisheries, Habitat and Water Quality"

3536 Rainier Avenue, Stockton, CA 95204

T: 209-464-5067, F: 209-464-1028, E: deltakeep@aol.com, W: www.calsport.org

5 April 2008

Mr. Ken Landau, Assistant Executive Officer
Mr. Jim Marshall, Sr. WRCE
Regional Water Quality Control Board
Central Valley Region
11020 Sun Center Drive, Suite 200
Rancho Cordova, CA 95670-6144

VIA: Electronic Submission
Hardcopy if Requested

RE: Tentative Order Amending Waste Discharge Requirements Order R5-2008-0108
(NPDES No. CA0079588) for City of Rio Vista Beach Wastewater Treatment Facility,
Solano County

Dear Messrs. Landau and Marshall,

The California Sportfishing Protection Alliance (CSPA) has reviewed the tentative order amending Waste Discharge Requirements R5-2008-0108 (NPDES No. CA0079588) for the City of Rio Vista Beach Wastewater Treatment Facility (Permit) and submits the following comments.

CSPA requests status as a designated party for this proceeding. CSPA is a 501(c)(3) public benefit conservation and research organization established in 1983 for the purpose of conserving, restoring, and enhancing the state's water quality and fishery resources and their aquatic ecosystems and associated riparian habitats. CSPA has actively promoted the protection of water quality and fisheries throughout California before state and federal agencies, the State Legislature and Congress and regularly participates in administrative and judicial proceedings on behalf of its members to protect, enhance, and restore California's degraded water quality and fisheries. CSPA members reside, boat, fish and recreate in and along waterways throughout the Central Valley, including Solano County.

The Regional Board has issued a proposed Amendment of Waste Discharge Requirements (WDR), Order No. R5-2008-0108 (NPDES No. CA0079588), for the City of Rio Vista, Rio Vista Beach Wastewater Treatment Plant. The amendment would relax Effluent Limitations for Dibromochloromethane (Chlorodibromomethane) and Dichlorobromomethane. WDR Order No. The Regional Board adopted R5-2008-0108 on 31 July 2008.

- 1. The proposed Permit amendment contains an allowance for a mixing zone that does not comply with the requirements of the Policy for Implementation of Toxics Standards for Inland Surface Waters, Enclosed Bays, and Estuaries of California (SIP), the California Toxics Rule (CTR), or the Basin Plan.**

The California Toxic Rule (CTR) 40 CFR 131, Federal Register May 18, 2000, contains water quality standards (ingestion of water and organisms) for Chlorodibromomethane and Dichlorobromomethane of 0.401 ug/l and 0.56 ug/l, respectively. The proposed amendment would relax the limitations for Chlorodibromomethane and Dichlorobromomethane to 41 ug/l and 38 ug/l, respectively.

a. Both the SIP and the CTR require that dilution credits for human health criteria be based on the harmonic mean flow. The proposed Permit amendment does not utilize the harmonic mean flow for determining the dilution credits for human health criteria.

WDR Order No. R5-2008-0108, page F-16, cites the previous WDR, Order No. 5-01-178, as allowing a dilution ratio of 1,000 to 1 (river flow to effluent) based on flow data at Rio Vista from the Department of Water Resources Modeling Section. This data showed the “worst case conditions” of river flow at 1,000 cubic feet per second (cfs) and a discharge of 1 cfs. WDR, Order No 5-01-178 is further cited as requiring a complete mixing zone analysis be completed. A mixing zone analysis was completed and approved by the Regional Board on 26 February 2002. The mixing zone study, as cited on page F-17 of R5-2008-0108, showed that because of tidal influences a parcel of water could flow back and forth over the wastewater outfall approximately 13 times during critical flow periods (over the course of approximately three days). The mixing zone study recommended a dilution credit of 20-to-1 (river flow to effluent) for acute and chronic aquatic life water quality criteria. The mixing zone study apparently did not evaluate human health criteria conditions as Order No. R5-2008-0108 states on page F-18 that the dilution credit of 1000-to-1 was being carried forth from the previous Order.

The proposed Permit amendment, Finding No. 3 states that:

“Order No. R5-2008-0108 includes maximum daily effluent limitations (MDELs) for dibromochloromethane and dichlorobromomethane, of 2.8 g/L and 5.6 g/L, respectively. The Sacramento River, under the worst-case conditions provides a minimum dilution of 1,000 to 1 for human health criteria. Using this allowed dilution credit result in water quality-based effluent limits for dibromochloromethane and dichlorobromomethane of 463 g/L and 724 g/L as MDELs, respectively. The Regional Water Board found, however, that allowing these effluent limits could result in allocating an unnecessarily large portion of the receiving water’s assimilative capacity and could violate the Anti-degradation Policy. Therefore, more stringent performance-based effluent limits were required in Order No. R5-2008- 0108, which were developed based on past performance of the Facility.”

The SIP, Section 1.4.2.1, requires for completely mixed discharges that the dilution ratio be calculated using the critical flows from Table 3, which for human health criteria is the harmonic mean flow. The CTR, May 18 2000 Federal Register page 31701, G2, states that: “EPA is requiring that the harmonic mean flow be applied with human health criteria.” The dilution ratio of 1000-to-1 from Order No. 5-01-178 is not the harmonic mean flow. The performance-based effluent limits in Order No. R5-2008- 0108, which

were developed based on past performance of the Facility are also not based on the harmonic mean flow. Since the harmonic mean flow has not been calculated it cannot be determined whether the performance-based limitations are as restrictive as those based on the harmonic mean flow as is required by both the SIP and the CTR. The proposed permit amendment does not comply with the SIP and CTR requirement that any dilution credits for human health criteria be based on the harmonic mean flow.

b. A very clear unaddressed requirement (SIP Section 1.4.2.2) for mixing zones is that the point(s) in the receiving stream where the applicable criteria must be met shall be specified in the proposed Permit.

The “edge of the mixing zone” for Chlorodibromomethane and Dichlorobromomethane has not been defined.

c. Mixing zone requirements as prescribed in the SIP are dependent on whether a discharge is completely mixed. The proposed Permit amendment, which is based on the mixing zone conditions prescribed in Order No. R5-2008- 0108 may not be completely mixed.

As is stated above, the mixing zone study, as cited on page F-17 of R5-2008-0108, showed that because of tidal influences a parcel of water could flow back and forth over the wastewater outfall approximately 13 times during critical flow periods (over the course of approximately three days). A “completely mixed discharge” means there is not more than a 5% difference in the concentration of a pollutant across a transect of the water body within two river widths from the point of discharge. The Central Valley Regional Water Quality Control Board’s Basin Plan, page IV-16.00, requires the Regional Board use EPA’s *Technical Support Document for Water Quality Based Toxics Control (TSD)* in assessing mixing zones. The TSD, page 70, defines a first stage of mixing, close to the point of discharge, where complete mixing is determined by the momentum and buoyancy of the discharge. The second stage is defined by the TSD where the initial momentum and buoyancy of the discharge are diminished and waste is mixed by ambient turbulence. The TSD goes on to state that in large rivers this second stage mixing may extend for miles. The TSD, Section 4.4, requires that if complete mix does not occur in a short distance mixing zone monitoring and modeling must be undertaken. There is no indication that the discharge has been shown to be completely mixed during periods of critical flow.

2. The proposed Permit amendment contains an inadequate antidegradation analysis that does not comply with the requirements of Section 101(a) of the Clean Water Act, Federal Regulations 40 CFR § 131.12, the State Board’s Antidegradation Policy (Resolution 68-16) and California Water Code (CWC) Sections 13146 and 13247.

The only reference to compliance with the Antidegradation Policy is a single sentence in Finding No. 8 of the proposed permit amendment despite the fact the significantly less stringent effluent Limitations are being proposed for Chlorodibromomethane and Dichlorobromomethane. Best practicable treatment and control (BPTC) of the discharge, specifically ultra violet light

disinfection is not discussed which would eliminate formation of trihalomethanes. Holding ponds, which would allow time for trihalomethanes to volatilize, could also be evaluated as BPTC. The Antidegradation Policy (Resolution 68-16) allows water quality to be lowered as long as beneficial uses are protected (pollution or nuisance will not occur), best practicable treatment and control (BPTC) of the discharge is provided, and the degradation is in the best interest of the people of California. Water quality objectives were developed as the maximum concentration of a pollutant necessary to protect beneficial uses and levels above this concentration would be considered pollution. The Antidegradation Policy does not allow water quality standards and objectives to be exceeded. Mixing zones are regions within public waters adjacent to point source discharges where pollutants are diluted and dispersed at concentrations that routinely exceed water quality standards.

The Antidegradation Policy (Resolution 68-16) requires that best practicable treatment or control (BPTC) of the discharge be provided. Mixing zones have been allowed in lieu of treatment to meet water quality standards at the end-of-the-pipe prior to discharge. To comply with the Antidegradation Policy, the trade of receiving water beneficial uses for lower utility rates must be in the best interest of the people of the state and must also pass the test that the Discharger is providing BPTC. By routinely permitting excessive levels of pollutants to be legally discharged, mixing zones act as an economic disincentive to Dischargers who might otherwise have to design and implement better treatment mechanisms. Although the use of mixing zones may lead to individual, short-term cost savings for the discharger, significant long-term health and economic costs may be placed on the rest of society. An assessment of BPTC, and therefore compliance with the Antidegradation Policy, must assess whether treatment of the wastestream can be accomplished, is feasible, and not simply the additional costs of compliance with water quality standards. A BPTC case can be made for the benefits of prohibiting mixing zones and requiring technologies that provide superior waste treatment and reuse of the wastestream.

CWC Sections 13146 and 13247 require that the Board in carrying out activities which affect water quality shall comply with state policy for water quality control unless otherwise directed by statute, in which case they shall indicate to the State Board in writing their authority for not complying with such policy. The State Board has adopted the Antidegradation Policy (Resolution 68-16), which the Regional Board has incorporated into its Basin Plan. The Regional Board is required by the CWC to comply with the Antidegradation Policy.

Section 101(a) of the Clean Water Act (CWA), the basis for the antidegradation policy, states that the objective of the Act is to “restore and maintain the chemical, biological and physical integrity of the nation’s waters.” Section 303(d)(4) of the CWA carries this further, referring explicitly to the need for states to satisfy the antidegradation regulations at 40 CFR § 131.12 before taking action to lower water quality. These regulations (40 CFR § 131.12(a)) describe the federal antidegradation policy and dictate that states must adopt both a policy at least as stringent as the federal policy as well as implementing procedures.

California’s antidegradation policy is composed of both the federal antidegradation policy and the State Board’s Resolution 68-16 (State Water Resources Control Board, Water Quality Order 86-17, p. 20 (1986) (“Order 86-17”); Memorandum from Chief Counsel William Attwater, SWRCB to Regional Board Executive Officers, “federal Antidegradation Policy,” pp. 2, 18 (Oct.

7, 1987) (“State Antidegradation Guidance”). As a state policy, with inclusion in the Water Quality Control Plan (Basin Plan), the antidegradation policy is binding on all of the Regional Boards (Water Quality Order 86-17, pp. 17-18).

Implementation of the state’s antidegradation policy is guided by the State Antidegradation Guidance, SWRCB Administrative Procedures Update 90-004, 2 July 1990 (“APU 90-004”) and USEPA Region IX, “Guidance on Implementing the Antidegradation Provisions of 40 CFR 131.12” (3 June 1987) (“ Region IX Guidance”), as well as Water Quality Order 86-17.

The Regional Board must apply the antidegradation policy whenever it takes an action that will lower water quality (State Antidegradation Guidance, pp. 3, 5, 18, and Region IX Guidance, p. 1). Application of the policy does not depend on whether the action will actually impair beneficial uses (State Antidegradation Guidance, p. 6). Actions that trigger use of the antidegradation policy include issuance, re-issuance, and modification of NPDES and Section 404 permits and waste discharge requirements, waiver of waste discharge requirements, issuance of variances, relocation of discharges, issuance of cleanup and abatement orders, increases in discharges due to industrial production and/or municipal growth and/or other sources, exceptions from otherwise applicable water quality objectives, etc. (State Antidegradation Guidance, pp. 7-10, Region IX Guidance, pp. 2-3).

Tier 2 waters are provided additional protections against unnecessary degradation in places where the levels of water quality are better than necessary to support existing uses. Tier 2 protections strictly prohibit degradation unless the state finds that a degrading activity is: 1) necessary to accommodate important economic or social development in the area, 2) water quality is adequate to protect and maintain existing beneficial uses and 3) the highest statutory and regulatory requirements and best management practices for pollution control are achieved (40 CFR § 131.12(a) (2)). Cost savings to a discharger alone, absent a demonstration by the project proponent as to how these savings are “necessary to accommodate important economic or social development in the area,” are not adequate justification for allowing reductions in water quality (Water Quality Order 86-17, p. 22; State Antidegradation Guidance, p. 13). If the waterbody passes this test and the degradation is allowed, degradation must not impair existing uses of the waterbody (48 Fed. Reg. 51403). Virtually all waterbodies in California may be Tier 2 waters since the state, like most states, applies the antidegradation policy on a parameter-by-parameter basis, rather than on a waterbody basis (APU 90-004, p. 4). Consequently, a request to discharge a particular chemical to a river, whose level of that chemical was better than the state standards, would trigger a Tier 2 antidegradation review even if the river was already impaired by other chemicals.

The State Board’s APU 90-004 specifies guidance to the Regional Boards for implementing the state and federal antidegradation policies and guidance. The guidance establishes a two-tiered process for addressing these policies and sets forth two levels of analysis: a simple analysis and a complete analysis. A simple analysis may be employed where a Regional Board determines that: 1) a reduction in water quality will be spatially localized or limited with respect to the waterbody, e.g. confined to the mixing zone; 2) a reduction in water quality is temporally limited; 3) a proposed action will produce minor effects which will not result in a significant reduction of water quality; and 4) a proposed activity has been approved in a General Plan and

has been adequately subjected to the environmental and economic analysis required in an EIR. A complete antidegradation analysis is required if discharges would result in: 1) a substantial increase in mass emissions of a constituent; or 2) significant mortality, growth impairment, or reproductive impairment of resident species. Regional Boards are advised to apply stricter scrutiny to non-threshold constituents, i.e., carcinogens and other constituents that are deemed to present a risk of source magnitude at all non-zero concentrations. If a Regional Board cannot find that the above determinations can be reached, a complete analysis is required.

Even a minimal antidegradation analysis would require an examination of: 1) existing applicable water quality standards; 2) ambient conditions in receiving waters compared to standards; 3) incremental changes in constituent loading, both concentration and mass; 4) treatability; 5) best practicable treatment and control (BPTC); 6) comparison of the proposed increased loadings relative to other sources; 7) an assessment of the significance of changes in ambient water quality and 8) whether the waterbody was a ONRW. A minimal antidegradation analysis must also analyze whether: 1) such degradation is consistent with the maximum benefit to the people of the state; 2) the activity is necessary to accommodate important economic or social development in the area; 3) the highest statutory and regulatory requirements and best management practices for pollution control are achieved; and 4) resulting water quality is adequate to protect and maintain existing beneficial uses. A BPTC technology analysis must be done on an individual constituent basis; while tertiary treatment may provide BPTC for pathogens, dissolved metals may simply pass through.

Any antidegradation analysis must comport with implementation requirements in State Board Water Quality Order 86-17, State Antidegradation Guidance, APU 90-004 and Region IX Guidance. The conclusory, unsupported, undocumented statements in the Permit are no substitute for a defensible antidegradation analysis.

The antidegradation review process is especially important in the context of waters protected by Tier 2. See EPA, Office of Water Quality Regulations and Standards, *Water Quality Standards Handbook*, 2nd ed. Chapter 4 (2nd ed. Aug. 1994). Whenever a person proposes an activity that may degrade a water protected by Tier 2, the antidegradation regulation requires a state to: (1) determine whether the degradation is “necessary to accommodate important economic or social development in the area in which the waters are located”; (2) consider less-degrading alternatives; (3) ensure that the best available pollution control measures are used to limit degradation; and (4) guarantee that, if water quality is lowered, existing uses will be fully protected. 40 CFR § 131.12(a)(2); EPA, Office of Water Quality Regulations and Standards, *Water Quality Standards Handbook*, 2nd ed. 4-1, 4-7 (2nd ed. Aug. 1994). These activity-specific determinations necessarily require that each activity be considered individually.

For example, the APU 90-004 states:

“Factors that should be considered when determining whether the discharge is necessary to accommodate social or economic development and is consistent with maximum public benefit include: a) past, present, and probably beneficial uses of the water, b) economic and social costs, tangible and intangible, of the proposed discharge compared to benefits. The economic

impacts to be considered are those incurred in order to maintain existing water quality. The financial impact analysis should focus on the ability of the facility to pay for the necessary treatment. The ability to pay depends on the facility's source of funds. In addition to demonstrating a financial impact on the publicly – or privately – owned facility, the analysis must show a significant adverse impact on the community. The long-term and short-term socioeconomic impacts of maintaining existing water quality must be considered. Examples of social and economic parameters that could be affected are employment, housing, community services, income, tax revenues and land value. To accurately assess the impact of the proposed project, the projected baseline socioeconomic profile of the affected community without the project should be compared to the projected profile with the project...EPA's Water Quality Standards Handbook (Chapter 5) provides additional guidance in assessing financial and socioeconomic impacts"

There is nothing resembling an economic or socioeconomic analysis in the Permit. There are viable alternatives that have never been analyzed. The evaluation contains no comparative costs. As a rule-of-thumb, USEPA recommends that the cost of compliance should not be considered excessive until it consumes more than 2% of disposable household income in the region. This threshold is meant to suggest more of a floor than a ceiling when evaluating economic impact. In the Water Quality Standards Handbook, USEPA interprets the phrase "necessary to accommodate important economic or social development" with the phrase "substantial and widespread economic and social impact."

The antidegradation analysis must discuss the relative economic burden as an aggregate impact across the entire region using macroeconomics. Considering the intrinsic value of the Delta to the entire state and the potential effects upon those who rely and use Delta waters, it must also evaluate the economic and social impacts to water supply, recreation, fisheries, etc. from the Discharger's degradation of water quality in the Delta.

There is nothing in the Permit resembling an alternatives analysis evaluating less damaging and degrading alternatives. Other communities have successfully added ultraviolet light disinfection to eliminate trihalomethanes rather than continuing to discharge additional pollutants to degraded rivers. A proper alternatives analysis would cost out various alternatives and compare each of the alternatives' impacts on beneficial uses.

3. The proposed Permit amendment contains Effluent Limitations for Chlorodibromomethane and Dichlorobromomethane less stringent than the existing permit contrary to the Antibracksliding requirements of the Clean Water Act and Federal Regulations, 40 CFR 122.44 (l)(1).

The proposed Permit amendment contains Effluent Limitations for Chlorodibromomethane and Dichlorobromomethane less stringent than the existing permit however the only discussion of Antibracksliding requirements is in Finding No. 8 stating the revision is based on new information. The use of the term "new information" does not appear to meet the requirements for allowance of bracksliding. The proposed amendment appears to be stating that information is

available which was not available at the time of permit issuance, in the form of additional samples for trihalomethanes at a different location. The proposed Permit amendment does not state the location of the “new” samples or why the original samples are not valid. The Discharger has a history of excessive violations for both coliform organisms and total chlorine discharges, which is verified by issuance of an Administrative Civil Liability Compliant R5-2008-0524 for \$270,000. Failure to operate the disinfection system properly can greatly impact the formation of trihalomethanes.

Under the Clean Water Act (CWA), point source dischargers are required to obtain federal discharge (NPDES) permits and to comply with water quality based effluent limits (WQBELs) in NPDES permits sufficient to make progress toward the achievement of water quality standards or goals. The antibacksliding and antidegradation rules clearly spell out the interest of Congress in achieving the CWA’s goal of continued progress toward eliminating all pollutant discharges. Congress clearly chose an overriding environmental interest in clean water through discharge reduction, imposition of technological controls, and adoption of a rule against relaxation of limitations once they are established.

Upon permit reissuance, modification, or renewal, a discharger may seek a relaxation of permit limitations. However, according to the CWA, relaxation of a WQBEL is permissible only if the requirements of the antibacksliding rule are met. The antibacksliding regulations prohibit EPA from reissuing NPDES permits containing interim effluent limitations, standards or conditions less stringent than the final limits contained in the previous permit, with limited exceptions. These regulations also prohibit, with some exceptions, the reissuance of permits originally based on best professional judgment (BPJ) to incorporate the effluent guidelines promulgated under CWA §304(b), which would result in limits less stringent than those in the previous BPJ-based permit. Congress statutorily ratified the general prohibition against backsliding by enacting §§402(o) and 303(d)(4) under the 1987 Amendments to the CWA. The amendments preserve present pollution control levels achieved by dischargers by prohibiting the adoption of less stringent effluent limitations than those already contained in their discharge permits, except in certain narrowly defined circumstances.

When attempting to backslide from WQBELs under either the antidegradation rule or an exception to the antibacksliding rule, relaxed permit limits must not result in a violation of applicable water quality standards. The general prohibition against backsliding found in §402(o)(1) of the Act contains several exceptions. Specifically, under §402(o)(2), a permit may be renewed, reissued, or modified to contain a less stringent effluent limitation applicable to a pollutant *if*: (A) material and substantial alterations or additions to the permitted facility occurred after permit issuance which justify the application of a less stringent effluent limitation; (B)(i) information is available which was not available at the time of permit issuance (other than revised regulations, guidance, or test methods) and which would have justified the application of a less stringent effluent limitation at the time of permit issuance; or (ii) the Administrator determines that technical mistakes or mistaken interpretations of law were made in issuing the permit under subsection (a)(1)(B) of this section; (C) a less stringent effluent limitation is necessary because of events over which the permittee has no control and for which there is no reasonably available remedy [(e.g., Acts of God)]; (D) the permittee has received a permit modification under section 1311(c), 1311(g), 1311(h), 1311(i), 1311(k), 1311(n), or 1326(a) of

this title; or (E) the permittee has installed the treatment facilities required to meet the effluent limitations in the previous permit, and has properly operated and maintained the facilities, but has nevertheless been unable to achieve the previous effluent limitations, in which case the limitations in the reviewed, reissued, or modified permit may reflect the level of pollutant control actually achieved (but shall not be less stringent than required by effluent guidelines in effect at the time of permit renewal, reissuance, or modification).

Even if a discharger can meet either the requirements of the antidegradation rule under §303(d)(4) or one of the statutory exceptions listed in §402(o)(2), there are still limitations as to how far a permit may be allowed to backslide. Section 402(o)(3) acts as a floor to restrict the extent to which BPJ and water quality-based permit limitations may be relaxed under the antibacksliding rule. Under this subsection, even if EPA allows a permit to backslide from its previous permit requirements, EPA may never allow the reissued permit to contain effluent limitations which are less stringent than the current effluent limitation guidelines for that pollutant, or which would cause the receiving waters to violate the applicable state water quality standard adopted under the authority of §303.49.

Federal regulations 40 CFR 122.44 (l)(1) have been adopted to implement the antibacksliding requirements of the CWA:

(l) Reissued permits. (1) Except as provided in paragraph (l)(2) of this section when a permit is renewed or reissued, interim effluent limitations, standards or conditions must be at least as stringent as the final effluent limitations, standards, or conditions in the previous permit (unless the circumstances on which the previous permit was based have materially and substantially changed since the time the permit was issued and would constitute cause for permit modification or revocation and reissuance under Sec. 122.62.)

(2) In the case of effluent limitations established on the basis of Section 402(a)(1)(B) of the CWA, a permit may not be renewed, reissued, or modified on the basis of effluent guidelines promulgated under section 304(b) subsequent to the original issuance of such permit, to contain effluent limitations which are less stringent than the comparable effluent limitations in the previous permit.

(i) Exceptions--A permit with respect to which paragraph (l)(2) of this section applies may be renewed, reissued, or modified to contain a less stringent effluent limitation applicable to a pollutant, if:

(A) Material and substantial alterations or additions to the permitted facility occurred after permit issuance which justify the application of a less stringent effluent limitation;

(B)(1) Information is available which was not available at the time of permit issuance (other than revised regulations, guidance, or test methods) and which would have justified the application of a less stringent effluent limitation at the time of permit issuance; or (2) The Administrator determines that technical mistakes or mistaken interpretations of law were made in issuing the permit under section 402(a)(1)(b);

(C) A less stringent effluent limitation is necessary because of events over which the permittee has no control and for which there is no reasonably available remedy;

(D) The permittee has received a permit modification under section 301(c), 301(g), 301(h), 301(i), 301(k), 301(n), or 316(a); or

(E) The permittee has installed the treatment facilities required to meet the effluent limitations in the previous permit and has properly operated and maintained the facilities but has nevertheless been unable to achieve the previous effluent limitations, in which case the limitations in the reviewed, reissued, or modified permit may reflect the level of pollutant control actually achieved (but shall not be less stringent than required by effluent guidelines in effect at the time of permit renewal, reissuance, or modification).

(ii) Limitations. In no event may a permit with respect to which paragraph (1)(2) of this section applies be renewed, reissued, or modified to contain an effluent limitation which is less stringent than required by effluent guidelines in effect at the time the permit is renewed, reissued, or modified. In no event may such a permit to discharge into waters be renewed, issued, or modified to contain a less stringent effluent limitation if the implementation of such limitation would result in a violation of a water quality standard under section 303 applicable to such waters.

Thank you for considering these comments. If you have questions or require clarification, please don't hesitate to contact us.

Sincerely,

A handwritten signature in black ink, appearing to read "Bill Jennings". The signature is fluid and cursive, with the first name "Bill" being more prominent.

Bill Jennings, Executive Director
California Sportfishing Protection Alliance